


TECHNICAL DESCRIPTION


Model No	:	AC-225i
Input Voltage	:	230 Va.c.
Power	:	38 watts

IMPORTANT SAFEGUARDS

- 1. Read all instructions carefully.
- 2. Before using the unit, check if the voltage indicated corresponds with the convenience outlet (230 V.a.c.).
- 3. Do not use any appliance with a damaged cord or plug. If the cord is damaged it should be replaced with the same type and size or bring the unit to the nearest authorized service center.
- 4. Do not use two-way socket with other appliance.
- 5. Close supervision is necessary when any appliance is used by or near children.
- 6. To protect against electric shock, do not immerse the unit in water.
- 7. Do not use this unit on narrow spaces.



DESCRIPTION OF PARTS



FOR INITIAL USE




fig. 1



fig. 2



fig. 3


- 1. Pull the upper portion of the cover with both hands (fig. 1)
- 2. Take-out the cord (fig. 2).
- 3. Slide down the plastic filter
- 4. Pull-out the HEPA Filter and take-off the plastic and return (fig. 3).
- 5. Place the HEPA Filter to its original position.
- 6. Slide up the Plastic Filter and put the cover.

OPERATING INSTRUCTION

- 1. Plug IN the convenience outlet (fig. 4)
- 2. Press the SPEED/ON key to Turn ON the unit and to select speed.
 - a. Press once for LOW speed
 - Press once, the M light indicator will initially turn ON and will turn to L light indicator after 2 seconds.
 - b. Press twice for MEDIUM speed
 - c. Press Trice for HIGH speed
 - L, M or H light indicator will turn ON to determine chosen Speed
- 3. Press the TIMER Button to set the Timer.
 - a. Press once for 1 hour
 - b. Press twice for 2 hour
 - c. Press Trice for 3 hour
 - d. Press 4 times 8 hour
 - 1, 2, 4 or 8 hr light indicator will turn ON to determine chosen time and as the set time runs, the hour light indicator (1, 2, 4 or 8) will shift to determine the remaining time.
 - Do not set timer if you intend to use it for more than 8 hours.
- 4. Press the IONIZER Button only after the air in the room is cleaned.

HOW TO INSTALL

FOR TABLE TOP



HEPA FILTER is generally recognizes as the best air filter, it can remove up to 99.97% of micro-particles (1 u).

WHEN TO REPLACE THE HEPA FILTER

- 1. Replacement of filters depends on the usage but we advice to change it every 6 months.
- 2. Replace the HEPA FILTER if you encounter the following:
 - a. Reduce airflow
 - b. Noisy
 - c. If the surface of the HEPA FILTER turns into brown color

CLEANING AND MAINTENANCE

Before cleaning, turn OFF the unit and unplug the unit from convenience outlet.

- 1. BODY- wipe it with damp cloth. Do not use abrasive materials to avoid scratches.
- 2. AIR VENT- wipe it dry cloth or use a vacuum cleaner.
- 3. PLASTIC FILTER- remove, and clean it with soap and water.